



CERTIFICATE OF ANALYSIS

Verified in accordance with the 5 Nation Standard™

Batch Information

Product Name	So Lean So Clean -Strawberry Vanilla (20 Serv)
Batch / Lot No.	S26125003
Item Number:	SLSC-SV-20
Total Serving:	20
Serving Size:	31g
Label Version	SLSC-SV-20-L01B-26
Manufacture Date	05/05/2026
Expiration Date	05/04/2028
Review Date	06/23/2026
Tested by	Independent ISO 17025-Certified Laboratories
Verified by	Takeshi Cruz

Purity

Tested for contaminants, heavy metals, and pesticides using validated international methods. Inspired by the U.S. (USP, AOAC), Germany (BfR & BVL), Switzerland (Swissmedic, FSVO):

Heavy Metals

Parameter	Specification	Result	Method	Reference**
Arsenic, Inorganic	NMT 15 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	P9149090
Lead	NMT 5 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	P9149090
Cadmium	NMT 5 µg per daily	Meets Specification	AOAC, USP, or equivalent	P9149090

	serving			
Mercury, Total	NMT 15 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	P9149090

Microbial

Parameter	Specification	Result	Method	Reference**
Total Plate Count	NMT 100,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	P9149090
Yeast and Mold Counts	NMT 1,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	P9149090
Total Coliforms Count	NMT 1,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	P9149090
E.Coli	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	P9149090
Staphylococcus Aureus	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	P9149090
Salmonella	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	P9149090

Solvents

Solvent Residue	Specification	Result	Method	Reference**
Class 1 - 1,1,1-Trichloroethane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 1 - 1,1-Dichloroethene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 1 - 1,2-Dichloroethane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 1 - Benzene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 1 - Carbon Tetrachloride	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - 1,2-Dichloroethene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - 1,2-Dimethoxyethane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - 1,4-Dioxane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Acetonitrile	NMT 50 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Chlorobenzene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Chloroform	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Cyclohexane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) -	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387

Hexane				
Class 2 (Mix A & B) - Methanol	NMT 50 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Methylbutylketone	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Methylcyclohexane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Methylene Chloride	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Nitromethane	NMT 50 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Pyridine	NMT 200 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Tetrahydrofuran	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Tetralin	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Toluene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Trichloroethylene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 2 (Mix A & B) - Xylene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 3 - Ethanol	NMT 5,000 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 3 - Acetone	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 3 - Isopropanol	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387
Class 3 - Ethyl acetate	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149387

Pesticide Screen

Pesticide	Specification	Result	Method	Reference**
Acephate	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
Aldrin and dieldrin (sum of)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Azinphos-ethyl	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
Azinphos-methyl	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149387
Bromide, inorganic (calculated as bromide ion)	NMT 125 ppm	Not Detected	USP <561>	COA-2026-9149387
Bromophos-ethyl	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Bromophos-methyl	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149387
Bromopropylate	NMT 3 ppm	Not Detected	USP <561>	COA-2026-9149387

Chlordane (sum of cis-, trans-, and oxychlordane)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Chlorfenvinphos	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149387
Chlorpyrifos-ethyl	NMT 0.2 ppm	Not Detected	USP <561>	COA-2026-9149387
Chlorpyrifos-methyl	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
Chlorthal-dimethyl	NMT 0.01 ppm	Not Detected	USP <561>	COA-2026-9149387
Cyfluthrin (sum of)	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
λ-Cyhalothrin	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149387
Cypermethrin and isomers (sum of)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149387
DDT (sum of o,p'-DDE, p,p'-DDE, o,p'-DDT, p,p'-DDT, o,p'-TDE, and p,p'-TDE)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149387
Deltamethrin	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149387
Diazinon	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149387
Dichlofluanid	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
Dichlorvos	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149387
Dicofol	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149387
Dimethoate and omethoate (sum of)	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
Dithiocarbamates (expressed as CS ₂)	NMT 2 ppm	Not Detected	USP <561>	COA-2026-9149387
Endosulfan (sum of isomers and endosulfan sulphate)	NMT 3 ppm	Not Detected	USP <561>	COA-2026-9149387
Endrin	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Ethion	NMT 2 ppm	Not Detected	USP <561>	COA-2026-9149387
Etrimpfos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Fenchlorophos (sum of fenchlorophos and fenchlorophos-oxon)	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
Fenitrothion	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149387
Fenpropathrin	NMT 0.03 ppm	Not Detected	USP <561>	COA-2026-9149387
Fensulfothion (sum of fensulfothion, oxon, sulfone, and oxon sulfone)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Fenthion (sum of fenthion and metabolites)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Fenvalerate	NMT 1.5 ppm	Not Detected	USP <561>	COA-2026-9149387
Flucythrinate	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
γ-Fluvalinate	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Fonophos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387

Heptachlor (sum of heptachlor, cis- and trans-heptachlorepoxyde)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Hexachlorbenzene	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
Hexachlorocyclohexane (sum of α , β , γ , δ isomers)	NMT 0.3 ppm	Not Detected	USP <561>	COA-2026-9149387
Lindane (γ -hexachlorocyclohexane)	NMT 0.6 ppm	Not Detected	USP <561>	COA-2026-9149387
Malathion and malaoxon (sum of)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149387
Mecarbam	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Methacriphos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Methamidophos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Methidathion	NMT 0.2 ppm	Not Detected	USP <561>	COA-2026-9149387
Methoxychlor	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Mirex	NMT 0.01 ppm	Not Detected	USP <561>	COA-2026-9149387
Monocrotophos	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
Parathion-ethyl and paraoxon-ethyl (sum of)	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149387
Parathion-methyl and paraoxon-methyl (sum of)	NMT 0.2 ppm	Not Detected	USP <561>	COA-2026-9149387
Pendimethalin	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
Pentachloranisole	NMT 0.01 ppm	Not Detected	USP <561>	COA-2026-9149387
Permethrin and isomers (sum of)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149387
Phosalone	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
Phosmet	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Piperonyl butoxide	NMT 0.3 ppm	Not Detected	USP <561>	COA-2026-9149387
Pirimiphos-ethyl	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Pirimiphos-methyl (sum of pirimiphos-methyl and N-desethyl-pirimiphos-methyl)	NMT 4 ppm	Not Detected	USP <561>	COA-2026-9149387
Procymidone	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
Profenophos	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149387
Prothiophos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Pyrethrum (sum of cinerin I/II, jasmolin I/II, pyrethrin I/II)	NMT 3 ppm	Not Detected	USP <561>	COA-2026-9149387
Quinalphos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Quintozene (sum of quintozene, pentachloraniline, methyl pentachlorophenyl sulfide)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149387

S-421	NMT 0.02 ppm	Not Detected	USP <561>	COA-2026-9149387
Tecnazene	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149387
Tetradifon	NMT 0.3 ppm	Not Detected	USP <561>	COA-2026-9149387
Vinclozolin	NMT 0.4 ppm	Not Detected	USP <561>	COA-2026-9149387

Strength

Inspired by the U.S.A.'s FDA requirements and Japan's strict label accuracy policies.

We test every production batch to make sure active ingredient strength matches our label claim.

- Many countries and brands allow rounding rules or under-formulation amounts of nutrients; Ora requires a 100% label claim throughout shelf life. Often, our products are formulated with intentional nutritional overages.
- We justify every expiration date with real data — what we call Shelf Life Justification.

Nutritional Information

Parameter	Specification	Result (per serving)	Method	Reference**
Calories*	NMT 156 per serving	Meets Specification	AOAC or equivalent	COA-2026-9149387
Total Fat*	NMT 3.6g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149387
Total Carbohydrate*	NLT 2.4g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149387
Total Dietary Fiber*	NLT 0.8g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149387
Sodium*	NMT 288mg per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149387
Calcium*	NLT 24mg per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149387
Iron*	NLT 4mg per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149387
Protein	NLT 23g per serving	Meets Specification	AOAC, USP, or equivalent	P9149090

Safety

Inspired by GRAS (Generally Recognized as Safe) regulations in the U.S. and strict allergen labeling laws in Japan

- All ingredients are either GRAS a.k.a. generally recognised as safe, self-affirmed GRAS, or approved under New Dietary Ingredient (NDI) pathways.
- We label major allergens clearly.

- No banned substances, and we avoid excipient ingredients (like fillers and additives) that aren't needed

Allergens

Parameter	Specification	Result (per serving)	Method	Reference**
Gluten Allergen*	NMT 20ppm	Meets Specification	EZ Gluten or equivalent	COA-2026-9149387
Crustacean Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149387
Egg Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149387
Fish Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149387
Milk Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149387
Peanut Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149387
Soy Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149387
Sesame*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149387

Parameter	Specification	Result (per serving)	Method	Reference**
Glyphosate*	NMT 0.01 ppm	Meets Specification	HPLC	COA-2026-9149387

Remarks:

* Analysis performed on an annual basis.

**All analyses performed by CA State-certified and/or ISO accredited third-party laboratories.

Transparency

Inspired by third-party voluntary programs across all five countries:

- We self-publish batch-specific lab test results for all products.
- We partner with leading third-party laboratories and verification providers.
- Our product standards and testing methods are documented and openly shared.

Laboratory	Accreditation	Method Reference	Report ID
Qalitex	ISO 17025	Testing performed in accordance with AOAC, USP, FCC, and ISO-validated methods	See Reference IDs above



Testing conducted in accordance with Ora's 5 Nation Standard™ — integrating analytical requirements and safety thresholds from Switzerland, Japan, Germany, New Zealand, and the United States.

All results are verified by ISO 17025 accredited third-party laboratories.

QC#	ORA-10123C-001
Approved by:	G. Wong
Version	2.00
Updated	November 3, 2025