



CERTIFICATE OF ANALYSIS

Verified in accordance with the 5 Nation Standard™

Batch Information

Product Name	BeYouTiful 60ct (30 Servings)
Batch / Lot No.	B25045001
Item Number:	10154 (1707T)
Total Serving:	30
Serving Size:	2 Capsules
Label Version	1707T-L01-21
Manufacture Date	09/19/2024
Expiration Date	09/18/2026
Review Date	10/08/2026
Tested by	Independent ISO 17025-Certified Laboratories
Verified by	Gerry Wong

Purity

Tested for contaminants, heavy metals, and pesticides using validated international methods. Inspired by the U.S. (USP, AOAC), Germany (BfR & BVL), Switzerland (Swissmedic, FSVO):

Heavy Metals

Parameter	Specification	Result	Method	Reference**
Arsenic, Inorganic	NMT 10 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	25-074674-004
Lead	NMT 5 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	25-074674-004
Cadmium	NMT 5 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	25-074674-004

Mercury, Total	NMT 3.3 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	25-074674-004
----------------	------------------------------	---------------------	--------------------------	---------------

Microbial

Parameter	Specification	Result	Method	Reference**
Total Plate Count	NMT 100,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	1882111
Yeast and Mold Counts	NMT 1,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	1882111
Total Coliforms Count	NMT 1,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	1882111
E.Coli	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	1882111
Staphylococcus Aureus	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	1882111
Salmonella	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	1882111

Solvents

Solvent Residue	Specification	Result	Method	Reference**
Class 1 - 1,1,1-Trichloroethane	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 1 - 1,1-Dichloroethene	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 1 - 1,2-Dichloroethane	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 1 - Benzene	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 1 - Carbon Tetrachloride	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - 1,2-Dichloroethene	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - 1,2-Dimethoxyethane	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - 1,4-Dioxane	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Acetonitrile	NMT 50 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Chlorobenzene	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Chloroform	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Cyclohexane	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Hexane	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) -	NMT 50 ppm	Not Detected	USP <467>	AFSG231031-012

Methanol				
Class 2 (Mix A & B) - Methylbutylketone	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Methylcyclohexane	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Methylene Chloride	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Nitromethane	NMT 50 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Pyridine	NMT 200 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Tetrahydrofuran	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Tetralin	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Toluene	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Trichloroethylene	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 2 (Mix A & B) - Xylene	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 3 - Ethanol	NMT 5,000 ppm	Not Detected	USP <467>	AFSG231031-012
Class 3 - Acetone	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 3 - Isopropanol	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012
Class 3 - Ethyl acetate	NMT 1 ppm	Not Detected	USP <467>	AFSG231031-012

Pesticide Screen

Pesticide	Specification	Result	Method	Reference**
Acephate	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012
Aldrin and dieldrin (sum of)	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Azinphos-ethyl	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012
Azinphos-methyl	NMT 1 ppm	Not Detected	USP <561>	AFSG231031-012
Bromide, inorganic (calculated as bromide ion)	NMT 125 ppm	Not Detected	USP <561>	AFSG231031-012
Bromophos-ethyl	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Bromophos-methyl	NMT 1 ppm	Not Detected	USP <561>	AFSG231031-012
Bromopropylate	NMT 3 ppm	Not Detected	USP <561>	AFSG231031-012
Chlordane (sum of cis-, trans-, and oxychlordane)	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012

Chlorfenvinphos	NMT 0.5 ppm	Not Detected	USP <561>	AFSG231031-012
Chlorpyriphos-ethyl	NMT 0.2 ppm	Not Detected	USP <561>	AFSG231031-012
Chlorpyriphos-methyl	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012
Chlorthal-dimethyl	NMT 0.01 ppm	Not Detected	USP <561>	AFSG231031-012
Cyfluthrin (sum of)	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012
λ-Cyhalothrin	NMT 1 ppm	Not Detected	USP <561>	AFSG231031-012
Cypermethrin and isomers (sum of)	NMT 1 ppm	Not Detected	USP <561>	AFSG231031-012
DDT (sum of o,p'-DDE, p,p'-DDE, o,p'-DDT, p,p'-DDT, o,p'-TDE, and p,p'-TDE)	NMT 1 ppm	Not Detected	USP <561>	AFSG231031-012
Deltamethrin	NMT 0.5 ppm	Not Detected	USP <561>	AFSG231031-012
Diazinon	NMT 0.5 ppm	Not Detected	USP <561>	AFSG231031-012
Dichlofluanid	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012
Dichlorvos	NMT 1 ppm	Not Detected	USP <561>	AFSG231031-012
Dicofol	NMT 0.5 ppm	Not Detected	USP <561>	AFSG231031-012
Dimethoate and omethoate (sum of)	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012
Dithiocarbamates (expressed as CS ₂)	NMT 2 ppm	Not Detected	USP <561>	AFSG231031-012
Endosulfan (sum of isomers and endosulfan sulphate)	NMT 3 ppm	Not Detected	USP <561>	AFSG231031-012
Endrin	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Ethion	NMT 2 ppm	Not Detected	USP <561>	AFSG231031-012
Etrimphos	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Fenchlorophos (sum of fenchlorophos and fenchlorophos-oxon)	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012
Fenitrothion	NMT 0.5 ppm	Not Detected	USP <561>	AFSG231031-012
Fenpropathrin	NMT 0.03 ppm	Not Detected	USP <561>	AFSG231031-012
Fensulfothion (sum of fensulfothion, oxon, sulfone, and oxon sulfone)	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Fenthion (sum of fenthion and metabolites)	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012

Fenvalerate	NMT 1.5 ppm	Not Detected	USP <561>	AFSG231031-012
Flucythrinate	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
γ -Fluvalinate	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Fonophos	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Heptachlor (sum of heptachlor, cis- and trans-heptachlorepoxyde)	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Hexachlorbenzene	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012
Hexachlorocyclohexane (sum of α , β , γ , δ isomers)	NMT 0.3 ppm	Not Detected	USP <561>	AFSG231031-012
Lindane (γ -hexachlorocyclohexane)	NMT 0.6 ppm	Not Detected	USP <561>	AFSG231031-012
Malathion and malaoxon (sum of)	NMT 1 ppm	Not Detected	USP <561>	AFSG231031-012
Mecarbam	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Methacriphos	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Methamidophos	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Methidathion	NMT 0.2 ppm	Not Detected	USP <561>	AFSG231031-012
Methoxychlor	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Mirex	NMT 0.01 ppm	Not Detected	USP <561>	AFSG231031-012
Monocrotophos	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012
Parathion-ethyl and paraoxon-ethyl (sum of)	NMT 0.5 ppm	Not Detected	USP <561>	AFSG231031-012
Parathion-methyl and paraoxon-methyl (sum of)	NMT 0.2 ppm	Not Detected	USP <561>	AFSG231031-012
Pendimethalin	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012
Pentachloranisole	NMT 0.01 ppm	Not Detected	USP <561>	AFSG231031-012
Permethrin and isomers (sum of)	NMT 1 ppm	Not Detected	USP <561>	AFSG231031-012
Phosalone	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012
Phosmet	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Piperonyl butoxide	NMT 0.3 ppm	Not Detected	USP <561>	AFSG231031-012
Pirimiphos-ethyl	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Pirimiphos-methyl (sum of pirimiphos-methyl and N-desethyl-pirimiphos-methyl)	NMT 4 ppm	Not Detected	USP <561>	AFSG231031-012
Procymidone	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012

Profenophos	NMT 0.1 ppm	Not Detected	USP <561>	AFSG231031-012
Prothiophos	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Pyrethrum (sum of cinerin I/II, jasmolin I/II, pyrethrin I/II)	NMT 3 ppm	Not Detected	USP <561>	AFSG231031-012
Quinalphos	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Quintozene (sum of quintozene, pentachloraniline, methyl pentachlorophenyl sulfide)	NMT 1 ppm	Not Detected	USP <561>	AFSG231031-012
S-421	NMT 0.02 ppm	Not Detected	USP <561>	AFSG231031-012
Tecnazene	NMT 0.05 ppm	Not Detected	USP <561>	AFSG231031-012
Tetradifon	NMT 0.3 ppm	Not Detected	USP <561>	AFSG231031-012
Vinclozolin	NMT 0.4 ppm	Not Detected	USP <561>	AFSG231031-012

Strength

Inspired by the U.S.A.'s FDA requirements and Japan's strict label accuracy policies.

We test every production batch to make sure active ingredient strength matches our label claim.

- Many countries and brands allow rounding rules or under-formulation amounts of nutrients; Ora requires a 100% label claim throughout shelf life. Often, our products are formulated with intentional nutritional overages.
- We justify every expiration date with real data — what we call Shelf Life Justification.

Nutritional Information

Parameter	Specification	Result (per serving)	Method	Reference**
Niacin	Not Less Than 3mg per serving	Meets Specification	AOAC, USP or equivalent	021725-1021
Biotin	Not Less Than 60µg per serving	Meets Specification	AOAC, USP or equivalent	021725-1021
Total Probiotic Viable Count*	Not Less Than 1 billion CFU per serving	Meets Specification	AOAC, USP or equivalent	021725-1021
Niacin	Not Less Than 3mg per serving	Meets Specification	AOAC, USP or equivalent	021725-1021

Safety

Inspired by GRAS (Generally Recognized as Safe) regulations in the U.S. and strict allergen labeling laws in Japan

- All ingredients are either GRAS a.k.a. generally recognised as safe, self-affirmed GRAS, or approved under New Dietary Ingredient (NDI) pathways.
- We label major allergens clearly.
- No banned substances, and we avoid excipient ingredients (like fillers and additives) that aren't needed

Allergens

Parameter	Specification	Result (per serving)	Method	Reference**
Gluten Allergen*	NMT 20ppm	Meets Specification	EZ Gluten or equivalent	P9146072
Crustacean Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	P9146072
Egg Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	P9146072
Fish Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	P9146072
Milk Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	P9146072
Peanut Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	P9146072
Soy Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	P9146072
Sesame*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	P9146072

Remarks:

* Analysis performed on an annual basis.

**All analyses performed by CA State-certified and/or ISO accredited third-party laboratories.

Transparency

Inspired by third-party voluntary programs across all five countries:

- We self-publish batch-specific lab test results for all products.
- We partner with leading third-party laboratories and verification providers.
- Our product standards and testing methods are documented and openly shared.

Laboratory	Accreditation	Method Reference	Report ID
Tentamus (AFL), FSNS, Intertek, Midwest	ISO 17025	Testing performed in accordance with AOAC, USP, FCC, and ISO-validated methods	See above references



Testing conducted in accordance with Ora's 5 Nation Standard™ — integrating analytical requirements and safety thresholds from Switzerland, Japan, Germany, New Zealand, and the United States.

ORA-MAG-T-30P-001 All results are verified by ISO 17025 accredited third-party laboratories.

QC#

Approved by:

Version

Updated

ORA-10154W-002

G. Wong

2.00

November 3, 2025