



CERTIFICATE OF ANALYSIS

Verified in accordance with the 5 Nation Standard™

Batch Information

Product Name	Easy Being Green Greens Powder: Citrus (30s)
Batch / Lot No.	G26217001
Item Number:	1250P
Total Serving:	30
Serving Size:	8g
Label Version	1250-L02-25
Manufacture Date	08/05/2026
Expiration Date	08/04/2028
Review Date	09/17/2026
Tested by	Independent ISO 17025-Certified Laboratories
Verified by	Takeshi Cruz

Purity

Tested for contaminants, heavy metals, and pesticides using validated international methods. Inspired by the U.S. (USP, AOAC), Germany (BfR & BVL), Switzerland (Swissmedic, FSVO):

Heavy Metals

Parameter	Specification	Result	Method	Reference**
Arsenic, Inorganic	NMT 15 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9150055
Lead	NMT 5 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9150055
Cadmium	NMT 5 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9150055
Mercury, Total	NMT 15 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9150055

Microbial

Parameter	Specification	Result	Method	Reference**
Total Plate Count	NMT 100,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9150054
Yeast and Mold Counts	NMT 1,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9150054
Total Coliforms Count	NMT 1,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9150054
E.Coli	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9150054
Staphylococcus Aureus	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9150054
Salmonella	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9150054

Solvents

Solvent Residue	Specification	Result	Method	Reference**
Class 1 - 1,1,1-Trichloroethane	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 1 - 1,1-Dichloroethene	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 1 - 1,2-Dichloroethane	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 1 - Benzene	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 1 - Carbon Tetrachloride	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - 1,2-Dichloroethene	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - 1,2-Dimethoxyethane	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - 1,4-Dioxane	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Acetonitrile	NMT 50 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Chlorobenzene	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Chloroform	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Cyclohexane	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Hexane	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Methanol	NMT 50 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Methylbutylketone	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Methylcyclohexane	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Methylene Chloride	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Nitromethane	NMT 50 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Pyridine	NMT 200 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Tetrahydrofuran	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Tetralin	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Toluene	NMT 1 ppm	Not Detected	USP <467>	P9145812

Class 2 (Mix A & B) - Trichloroethylene	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 2 (Mix A & B) - Xylene	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 3 - Ethanol	NMT 5,000 ppm	Not Detected	USP <467>	P9145812
Class 3 - Acetone	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 3 - Isopropanol	NMT 1 ppm	Not Detected	USP <467>	P9145812
Class 3 - Ethyl acetate	NMT 1 ppm	Not Detected	USP <467>	P9145812

Pesticide Screen

Pesticide	Specification	Result	Method	Reference**
Acephate	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
Aldrin and dieldrin (sum of)	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Azinphos-ethyl	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
Azinphos-methyl	NMT 1 ppm	Not Detected	USP <561>	P9145812
Bromide, inorganic (calculated as bromide ion)	NMT 125 ppm	Not Detected	USP <561>	P9145812
Bromophos-ethyl	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Bromophos-methyl	NMT 1 ppm	Not Detected	USP <561>	P9145812
Bromopropylate	NMT 3 ppm	Not Detected	USP <561>	P9145812
Chlordane (sum of cis-, trans-, and oxychlordane)	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Chlorfenvinphos	NMT 0.5 ppm	Not Detected	USP <561>	P9145812
Chlorpyrifos-ethyl	NMT 0.2 ppm	Not Detected	USP <561>	P9145812
Chlorpyrifos-methyl	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
Chlorthal-dimethyl	NMT 0.01 ppm	Not Detected	USP <561>	P9145812
Cyfluthrin (sum of)	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
λ-Cyhalothrin	NMT 1 ppm	Not Detected	USP <561>	P9145812
Cypermethrin and isomers (sum of)	NMT 1 ppm	Not Detected	USP <561>	P9145812
DDT (sum of o,p'-DDE, p,p'-DDE, o,p'-DDT, p,p'-DDT, o,p'-TDE, and p,p'-TDE)	NMT 1 ppm	Not Detected	USP <561>	P9145812
Deltamethrin	NMT 0.5 ppm	Not Detected	USP <561>	P9145812
Diazinon	NMT 0.5 ppm	Not Detected	USP <561>	P9145812
Dichlofluanid	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
Dichlorvos	NMT 1 ppm	Not Detected	USP <561>	P9145812
Dicofol	NMT 0.5 ppm	Not Detected	USP <561>	P9145812
Dimethoate and omethoate (sum of)	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
Dithiocarbamates (expressed as CS ₂)	NMT 2 ppm	Not Detected	USP <561>	P9145812

Endosulfan (sum of isomers and endosulfan sulphate)	NMT 3 ppm	Not Detected	USP <561>	P9145812
Endrin	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Ethion	NMT 2 ppm	Not Detected	USP <561>	P9145812
Etriphos	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Fenchlorophos (sum of fenchlorophos and fenchlorophos-oxon)	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
Fenitrothion	NMT 0.5 ppm	Not Detected	USP <561>	P9145812
Fenpropathrin	NMT 0.03 ppm	Not Detected	USP <561>	P9145812
Fensulfothion (sum of fensulfothion, oxon, sulfone, and oxon sulfone)	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Fenthion (sum of fenthion and metabolites)	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Fenvalerate	NMT 1.5 ppm	Not Detected	USP <561>	P9145812
Flucythrinate	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
-Fluvalinate	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Fonophos	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Heptachlor (sum of heptachlor, cis- and trans-heptachlorepoide)	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Hexachlorbenzene	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
Hexachlorocyclohexane (sum of α , β , γ , δ isomers)	NMT 0.3 ppm	Not Detected	USP <561>	P9145812
Lindane (γ -hexachlorocyclohexane)	NMT 0.6 ppm	Not Detected	USP <561>	P9145812
Malathion and malaoxon (sum of)	NMT 1 ppm	Not Detected	USP <561>	P9145812
Mecarbam	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Methacriphos	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Methamidophos	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Methidathion	NMT 0.2 ppm	Not Detected	USP <561>	P9145812
Methoxychlor	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Mirex	NMT 0.01 ppm	Not Detected	USP <561>	P9145812
Monocrotophos	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
Parathion-ethyl and paraoxon-ethyl (sum of)	NMT 0.5 ppm	Not Detected	USP <561>	P9145812

Parathion-methyl and paraoxon-methyl (sum of)	NMT 0.2 ppm	Not Detected	USP <561>	P9145812
Pendimethalin	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
Pentachloranisole	NMT 0.01 ppm	Not Detected	USP <561>	P9145812
Permethrin and isomers (sum of)	NMT 1 ppm	Not Detected	USP <561>	P9145812
Phosalone	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
Phosmet	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Piperonyl butoxide	NMT 0.3 ppm	Not Detected	USP <561>	P9145812
Pirimiphos-ethyl	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Pirimiphos-methyl (sum of pirimiphos-methyl and N-desethyl-pirimiphos-methyl)	NMT 4 ppm	Not Detected	USP <561>	P9145812
Procymidone	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
Profenophos	NMT 0.1 ppm	Not Detected	USP <561>	P9145812
Prothiophos	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Pyrethrum (sum of cinerin I/II, jasmolin I/II, pyrethrin I/II)	NMT 3 ppm	Not Detected	USP <561>	P9145812
Quinalphos	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Quintozene (sum of quintozene, pentachloraniline, methyl pentachlorophenyl sulfide)	NMT 1 ppm	Not Detected	USP <561>	P9145812
S-421	NMT 0.02 ppm	Not Detected	USP <561>	P9145812
Tecnazene	NMT 0.05 ppm	Not Detected	USP <561>	P9145812
Tetradifon	NMT 0.3 ppm	Not Detected	USP <561>	P9145812
Vinclozolin	NMT 0.4 ppm	Not Detected	USP <561>	P9145812

Strength

Inspired by the U.S.A.'s FDA requirements and Japan's strict label accuracy policies.

We test every production batch to make sure active ingredient strength matches our label claim.

- Many countries and brands allow rounding rules or under-formulation amounts of nutrients; Ora requires a 100% label claim throughout shelf life. Often, our products are formulated with intentional nutritional overages.
- We justify every expiration date with real data — what we call Shelf Life Justification.

Nutritional Information

Parameter	Specification	Result (per serving)	Method	Reference**
Calories*	Not More Than 36 per serving	Meets Specification	AOAC or equivalent	P9145812
Total Carbohydrate*	Not Less Than 4g per serving	Meets Specification	AOAC or equivalent	P9145812
Total Dietary Fiber*	Not Less Than 1.6g per serving	Meets Specification	AOAC or equivalent	P9145812
Total Sugars*	Not More Than 1.2g per serving	Meets Specification	AOAC or equivalent	P9145812
Protein*	Not Less Than 1.6g per serving	Meets Specification	AOAC or equivalent	P9145812
Vitamin A*	Not Less Than 74.4µg RAE per serving	Meets Specification	AOAC, USP, or equivalent	P9145812
Vitamin C*	Not Less Than 6.4mg per serving	Meets Specification	AOAC, USP, or equivalent	P9145812
Vitamin K*	Not Less Than 8.8µg per serving	Meets Specification	AOAC, USP, or equivalent	P9145812
Sodium*	Not More Than 36mg per serving	Meets Specification	AOAC, USP, or equivalent	P9145812
Calcium*	Not Less Than 32mg per serving	Meets Specification	AOAC, USP, or equivalent	P9145812
Iron*	Not Less Than 0.8mg per serving	Meets Specification	AOAC, USP, or equivalent	P9145812

Safety

Inspired by GRAS (Generally Recognized as Safe) regulations in the U.S. and strict allergen labeling laws in Japan

- All ingredients are either GRAS a.k.a. generally recognised as safe, self-affirmed GRAS, or approved under New Dietary Ingredient (NDI) pathways.
- We label major allergens clearly.
- No banned substances, and we avoid excipient ingredients (like fillers and additives) that aren't needed

Allergens

Parameter	Specification	Result (per serving)	Method	Reference**
Gluten Allergen*	NMT 20ppm	Meets Specification	EZ Gluten or equivalent	P9145812
Crustacean Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	P9145812
Egg Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	P9145812
Fish Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	P9145812
Milk Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	P9145812
Peanut Allergen*	Not Detected / NMT 2.5ppm	Meets Specification	ELISA, or equivalent	P9145812
Soy Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	P9145812
Sesame*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	P9145812

Parameter	Specification	Result (per serving)	Method	Reference**
Glyphosate*	NMT 0.01 ppm	Meets Specification	HPLC	P9145812

Remarks:

* Analysis performed on an annual basis.

**All analyses performed by CA State-certified and/or ISO accredited third-party laboratories.

Transparency

Inspired by third-party voluntary programs across all five countries:

- We self-publish batch-specific lab test results for all products.
- We partner with leading third-party laboratories and verification providers.
- Our product standards and testing methods are documented and openly shared.

Laboratory	Accreditation	Method Reference	Report ID
QALITEX	ISO 17025	Testing performed in accordance with AOAC, USP, FCC, and ISO-validated methods	See reference IDs.



Testing conducted in accordance with Ora's 5 Nation Standard™ — integrating analytical requirements and safety thresholds from Switzerland, Japan, Germany, New Zealand, and the United States.

All results are verified by ISO 17025 accredited third-party laboratories.

QC#	ORA-10135W-002
Approved by:	G. Wong
Version	2.00
Updated	November 3, 2025