



CERTIFICATE OF ANALYSIS

Verified in accordance with the 5 Nation Standard™

Batch Information

Product Name	So Lean So Clean - Dark Chocolate Unsweetened (20 Serv)
Batch / Lot No.	S26190001
Item Number:	SLSC-DCU-20
Total Serving:	20
Serving Size:	33g
Label Version	SLSC-DCU-20-L02-26
Manufacture Date	07/09/2026
Best if Used By Date	07/2028
Review Date	08/07/2026
Tested by	Independent ISO 17025-Certified Laboratories
Verified by	Takeshi Cruz

Purity

Tested for contaminants, heavy metals, and pesticides using validated international methods. Inspired by the U.S. (USP, AOAC), Germany (BfR & BVL), Switzerland (Swissmedic, FSVO):

Heavy Metals

Parameter	Specification	Result	Method	Reference**
Arsenic, Inorganic	NMT 15 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149685
Lead	NMT 5 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149685
Cadmium	NMT 5 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149685
Mercury, Total	NMT 15 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149685

Microbial

Parameter	Specification	Result	Method	Reference**
Total Plate Count	NMT 100,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149685
Yeast and Mold Counts	NMT 10,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149685
Total Coliforms Count	NMT 1,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149685
E.Coli	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149685
Staphylococcus Aureus	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149685
Salmonella	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149685

Solvents

Solvent Residue	Specification	Result	Method	Reference**
Class 1 - 1,1,1-Trichloroethane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 1 - 1,1-Dichloroethene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 1 - 1,2-Dichloroethane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 1 - Benzene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 1 - Carbon Tetrachloride	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - 1,2-Dichloroethene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - 1,2-Dimethoxyethane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - 1,4-Dioxane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Acetonitrile	NMT 50 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Chlorobenzene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Chloroform	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Cyclohexane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Hexane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Methanol	NMT 50 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Methylbutylketone	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Methylcyclohexane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Methylene Chloride	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Nitromethane	NMT 50 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Pyridine	NMT 200 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Tetrahydrofuran	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Tetralin	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Toluene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388

Class 2 (Mix A & B) - Trichloroethylene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 2 (Mix A & B) - Xylene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 3 - Ethanol	NMT 5,000 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 3 - Acetone	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 3 - Isopropanol	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388
Class 3 - Ethyl acetate	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149388

Pesticide Screen

Pesticide	Specification	Result	Method	Reference**
Acephate	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
Aldrin and dieldrin (sum of)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Azinphos-ethyl	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
Azinphos-methyl	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149388
Bromide, inorganic (calculated as bromide ion)	NMT 125 ppm	Not Detected	USP <561>	COA-2026-9149388
Bromophos-ethyl	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Bromophos-methyl	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149388
Bromopropylate	NMT 3 ppm	Not Detected	USP <561>	COA-2026-9149388
Chlordane (sum of cis-, trans-, and oxychlordane)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Chlorfenvinphos	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149388
Chlorpyrifos-ethyl	NMT 0.2 ppm	Not Detected	USP <561>	COA-2026-9149388
Chlorpyrifos-methyl	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
Chlorthal-dimethyl	NMT 0.01 ppm	Not Detected	USP <561>	COA-2026-9149388
Cyfluthrin (sum of)	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
λ-Cyhalothrin	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149388
Cypermethrin and isomers (sum of)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149388
DDT (sum of o,p'-DDE, p,p'-DDE, o,p'-DDT, p,p'-DDT, o,p'-TDE, and p,p'-TDE)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149388
Deltamethrin	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149388
Diazinon	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149388
Dichlofluanid	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
Dichlorvos	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149388
Dicofol	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149388
Dimethoate and omethoate (sum of)	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
Dithiocarbamates (expressed as CS ₂)	NMT 2 ppm	Not Detected	USP <561>	COA-2026-9149388

Endosulfan (sum of isomers and endosulfan sulphate)	NMT 3 ppm	Not Detected	USP <561>	COA-2026-9149388
Endrin	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Ethion	NMT 2 ppm	Not Detected	USP <561>	COA-2026-9149388
Etriphos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Fenchlorophos (sum of fenchlorophos and fenchlorophos-oxon)	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
Fenitrothion	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149388
Fenpropathrin	NMT 0.03 ppm	Not Detected	USP <561>	COA-2026-9149388
Fensulfothion (sum of fensulfothion, oxon, sulfone, and oxon sulfone)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Fenthion (sum of fenthion and metabolites)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Fenvalerate	NMT 1.5 ppm	Not Detected	USP <561>	COA-2026-9149388
Flucythrinate	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
γ -Fluvalinate	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Fonophos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Heptachlor (sum of heptachlor, cis- and trans-heptachlorepoide)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Hexachlorbenzene	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
Hexachlorocyclohexane (sum of α , β , γ , δ isomers)	NMT 0.3 ppm	Not Detected	USP <561>	COA-2026-9149388
Lindane (γ -hexachlorocyclohexane)	NMT 0.6 ppm	Not Detected	USP <561>	COA-2026-9149388
Malathion and malaoxon (sum of)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149388
Mecarbam	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Methacriphos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Methamidophos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Methidathion	NMT 0.2 ppm	Not Detected	USP <561>	COA-2026-9149388
Methoxychlor	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Mirex	NMT 0.01 ppm	Not Detected	USP <561>	COA-2026-9149388
Monocrotophos	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
Parathion-ethyl and paraoxon-ethyl (sum of)	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149388

Parathion-methyl and paraoxon-methyl (sum of)	NMT 0.2 ppm	Not Detected	USP <561>	COA-2026-9149388
Pendimethalin	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
Pentachloranisole	NMT 0.01 ppm	Not Detected	USP <561>	COA-2026-9149388
Permethrin and isomers (sum of)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149388
Phosalone	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
Phosmet	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Piperonyl butoxide	NMT 0.3 ppm	Not Detected	USP <561>	COA-2026-9149388
Pirimiphos-ethyl	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Pirimiphos-methyl (sum of pirimiphos-methyl and N-desethyl-pirimiphos-methyl)	NMT 4 ppm	Not Detected	USP <561>	COA-2026-9149388
Procymidone	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
Profenophos	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149388
Prothiophos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Pyrethrum (sum of cinerin I/II, jasmolin I/II, pyrethrin I/II)	NMT 3 ppm	Not Detected	USP <561>	COA-2026-9149388
Quinalphos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Quintozene (sum of quintozene, pentachloraniline, methyl pentachlorophenyl sulfide)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149388
S-421	NMT 0.02 ppm	Not Detected	USP <561>	COA-2026-9149388
Tecnazene	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149388
Tetradifon	NMT 0.3 ppm	Not Detected	USP <561>	COA-2026-9149388
Vinclozolin	NMT 0.4 ppm	Not Detected	USP <561>	COA-2026-9149388

Strength

Inspired by the U.S.A.'s FDA requirements and Japan's strict label accuracy policies.

We test every production batch to make sure active ingredient strength matches our label claim.

- Many countries and brands allow rounding rules or under-formulation amounts of nutrients; Ora requires a 100% label claim throughout shelf life. Often, our products are formulated with intentional nutritional overages.
- We justify every expiration date with real data — what we call Shelf Life Justification.

Nutritional Information

Parameter	Specification	Result (per serving)	Method	Reference**
Calories*	NMT 156 per serving	Meets Specification	AOAC or equivalent	COA-2026-9149388
Total Fat*	NMT 3.6g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149388
Total Carbohydrate*	NLT 3.2 g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149388
Total Dietary Fiber*	NLT 1.6 g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149388
Total Sugars*	NMT 0.5 g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149388
Sodium*	NMT 288mg per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149388
Calcium*	NLT 32 mg per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149388
Iron*	NLT 4.8 mg per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149388
Protein	NLT 23g per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149685

Safety

Inspired by GRAS (Generally Recognized as Safe) regulations in the U.S. and strict allergen labeling laws in Japan

- All ingredients are either GRAS a.k.a. generally recognised as safe, self-affirmed GRAS, or approved under New Dietary Ingredient (NDI) pathways.
- We label major allergens clearly.
- No banned substances, and we avoid excipient ingredients (like fillers and additives) that aren't needed

Allergens

Parameter	Specification	Result (per serving)	Method	Reference**
Gluten Allergen*	NMT 20ppm	Meets Specification	AOAC or equivalent	COA-2026-9149388
Crustacean Allergen*	Not Detected / NMT 5ppm	Meets Specification	AOAC or equivalent	COA-2026-9149388
Egg Allergen*	Not Detected / NMT 5ppm	Meets Specification	AOAC or equivalent	COA-2026-9149388
Fish Allergen*	Not Detected / NMT 5ppm	Meets Specification	AOAC or equivalent	COA-2026-9149388
Milk Allergen*	Not Detected / NMT 5ppm	Meets Specification	AOAC or equivalent	COA-2026-9149388
Peanut Allergen*	Not Detected / NMT 5ppm	Meets Specification	AOAC or equivalent	COA-2026-9149388
Tree Nut Allergen*	Not Detected / NMT 5ppm	Meets Specification	AOAC or equivalent	COA-2026-9149388
Soy Allergen*	Not Detected / NMT 5ppm	Meets Specification	AOAC or equivalent	COA-2026-9149388
Sesame*	Not Detected / NMT 5ppm	Meets Specification	AOAC or equivalent	COA-2026-9149388

Parameter	Specification	Result (per serving)	Method	Reference**
Glyphosate*	NMT 0.01 ppm	Meets Specification	HPLC	COA-2026-9149388

Remarks:

* Analysis performed on an annual basis.

**All analyses performed by CA State-certified and/or ISO accredited third-party laboratories.

Transparency

Inspired by third-party voluntary programs across all five countries:

- We self-publish batch-specific lab test results for all products.
- We partner with leading third-party laboratories and verification providers.
- Our product standards and testing methods are documented and openly shared.

Laboratory	Accreditation	Method Reference	Report ID
Qalitex	ISO 17025	Testing performed in accordance with AOAC, USP, FCC, and ISO-validated methods	See Reference IDs above



Testing conducted in accordance with Ora’s 5 Nation Standard™ — integrating analytical requirements and safety thresholds from Switzerland, Japan, Germany, New Zealand, and the United States.

All results are verified by ISO 17025 accredited third-party laboratories.