



CERTIFICATE OF ANALYSIS

Verified in accordance with the 5 Nation Standard™

Batch Information

Product Name	So Lean So Clean - Unflavored & Unsweetened
Batch / Lot No.	S26154002
Item Number:	10297
Total Serving:	About 20 servings
Serving Size:	2 scoops (31 g)
Label Version	10297-L03-25
Manufacture Date	06/03/2026
Expiration Date	06/02/2028
Review Date	07/02/2026
Tested by	Independent ISO 17025-Certified Laboratories
Verified by	Takeshi Cruz

Purity

Tested for contaminants, heavy metals, and pesticides using validated international methods. Inspired by the U.S. (USP, AOAC), Germany (BfR & BVL), Switzerland (Swissmedic, FSVO):

Heavy Metals

Parameter	Specification	Result	Method	Reference**
Arsenic, Total	NMT 15 ug per daily serving	Meets Specification	ICP	COA-2026-9149352
Lead	NMT 5 ug per daily serving	Meets Specification	ICP	COA-2026-9149352
Cadmium	NMT 5 ug per daily serving	Meets Specification	ICP	COA-2026-9149352
Mercury, Total	NMT 15 ug per daily serving	Meets Specification	ICP	COA-2026-9149352

Microbial

Parameter	Specification	Result	Method	Reference**
Total Plate Count	NMT 100,000 CFU/g	Meets Specification	USP <2021>	COA-2026-9149352
Yeast and Mold Counts	NMT 10,000 CFU/g	Meets Specification	USP <2021>	COA-2026-9149352
Total Coliforms Count	NMT 1,000 CFU/g	Meets Specification	AOAC	COA-2026-9149352
E. coli	Absent in 10 g	Meets Specification	USP <2022>	COA-2026-9149352
Staphylococcus aureus	Absent in 10 g	Meets Specification	USP <2022>	COA-2026-9149352
Salmonella	Absent in 10 g	Meets Specification	USP <2022>	COA-2026-9149352

Solvents

Solvent Residue	Specification	Result	Method	Reference**
Class 1 - 1,1,1-Trichloroethane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 1 - 1,1-Dichloroethene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 1 - 1,2-Dichloroethane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 1 - Benzene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 1 - Carbon Tetrachloride	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - 1,2-Dichloroethene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - 1,2-Dimethoxyethane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - 1,4-Dioxane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Acetonitrile	NMT 50 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Chlorobenzene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Chloroform	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Cyclohexane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Hexane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Methanol	NMT 50 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Methylbutylketone	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Methylcyclohexane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Methylene Chloride	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392

Class 2 (Mix A & B) - Nitromethane	NMT 50 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Pyridine	NMT 200 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Tetrahydrofuran	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Tetralin	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Toluene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Trichloroethylene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Xylene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 3 - Ethanol	NMT 5,000 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 3 - Acetone	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 3 - Isopropanol	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 3 - Ethyl acetate	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392

Pesticide Screen

Pesticide	Specification	Result	Method	Reference**
Acephate	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Aldrin and dieldrin (sum of)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Azinphos-ethyl	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Azinphos-methyl	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Bromide, inorganic (calculated as bromide ion)	NMT 125 ppm	Not Detected	USP <561>	COA-2026-9149392
Bromophos-ethyl	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Bromophos-methyl	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Bromopropylate	NMT 3 ppm	Not Detected	USP <561>	COA-2026-9149392
Chlordane (sum of cis-, trans-, and oxychlordane)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Chlorfenvinphos	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149392
Chlorpyrifos-ethyl	NMT 0.2 ppm	Not Detected	USP <561>	COA-2026-9149392
Chlorpyrifos-methyl	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Chlorthal-dimethyl	NMT 0.01 ppm	Not Detected	USP <561>	COA-2026-9149392
Cyfluthrin (sum of)	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
λ-Cyhalothrin	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Cypermethrin and isomers (sum of)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
DDT (sum of o,p'-DDE, p,p'-DDE, o,p'-DDT, p,p'-DDT, o,p'-TDE, and p,p'-TDE)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392

Deltamethrin	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149392
Diazinon	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149392
Dichlofluanid	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Dichlorvos	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Dicofol	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149392
Dimethoate and omethoate (sum of)	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Dithiocarbamates (expressed as CS ₂)	NMT 2 ppm	Not Detected	USP <561>	COA-2026-9149392
Endosulfan (sum of isomers and endosulfan sulphate)	NMT 3 ppm	Not Detected	USP <561>	COA-2026-9149392
Endrin	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Ethion	NMT 2 ppm	Not Detected	USP <561>	COA-2026-9149392
Etrimphos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Fenchlorophos (sum of fenchlorophos and fenchlorophos-oxon)	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Fenitrothion	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149392
Fenpropathrin	NMT 0.03 ppm	Not Detected	USP <561>	COA-2026-9149392
Fensulfothion (sum of fensulfothion, oxon, sulfone, and oxon sulfone)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Fenthion (sum of fenthion and metabolites)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Fenvalerate	NMT 1.5 ppm	Not Detected	USP <561>	COA-2026-9149392

Flucythrinate	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
-Fluvalinate	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Fonophos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Heptachlor (sum of heptachlor, cis- and trans-heptachlorepoxyde)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Hexachlorbenzene	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Hexachlorocyclohexane (sum of α , β , γ , δ isomers)	NMT 0.3 ppm	Not Detected	USP <561>	COA-2026-9149392
Lindane (γ -hexachlorocyclohexane)	NMT 0.6 ppm	Not Detected	USP <561>	COA-2026-9149392
Malathion and malaoxon (sum of)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Mecarbam	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Methacriphos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Methamidophos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Methidathion	NMT 0.2 ppm	Not Detected	USP <561>	COA-2026-9149392
Methoxychlor	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Mirex	NMT 0.01 ppm	Not Detected	USP <561>	COA-2026-9149392
Monocrotophos	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Parathion-ethyl and paraoxon-ethyl (sum of)	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149392
Parathion-methyl and paraoxon-methyl (sum of)	NMT 0.2 ppm	Not Detected	USP <561>	COA-2026-9149392

Pendimethalin	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Pentachloranisole	NMT 0.01 ppm	Not Detected	USP <561>	COA-2026-9149392
Permethrin and isomers (sum of)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Phosalone	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Phosmet	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Piperonyl butoxide	NMT 0.3 ppm	Not Detected	USP <561>	COA-2026-9149392
Pirimiphos-ethyl	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Pirimiphos-methyl (sum of pirimiphos-methyl and N-desethyl-pirimiphos-methyl)	NMT 4 ppm	Not Detected	USP <561>	COA-2026-9149392
Procymidone	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Profenophos	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Prothiophos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Pyrethrum (sum of cinerin I/II, jasmolin I/II, pyrethrin I/II)	NMT 3 ppm	Not Detected	USP <561>	COA-2026-9149392
Quinalphos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Quintozene (sum of quintozene, pentachloraniline, methyl pentachlorophenyl sulfide)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
S-421	NMT 0.02 ppm	Not Detected	USP <561>	COA-2026-9149392
Tecnazene	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Tetradifon	NMT 0.3 ppm	Not Detected	USP <561>	COA-2026-9149392

Vinclozolin	NMT 0.4 ppm	Not Detected	USP <561>	COA-2026-9149392
-------------	-------------	--------------	-----------	------------------

Strength

Inspired by the U.S.A.'s FDA requirements and Japan's strict label accuracy policies.

We test every production batch to make sure active ingredient strength matches our label claim.

- Many countries and brands allow rounding rules or under-formulation amounts of nutrients; Ora requires a 100% label claim throughout shelf life. Often, our products are formulated with intentional nutritional overages.
- We justify every expiration date with real data — what we call Shelf Life Justification.

Nutritional Information

Parameter	Specification	Result (per serving)	Method	Reference**
Calories*	NMT 144 per serving	Meets Specification	AOAC or equivalent	COA-2026-9149392
Total Fat*	NMT 3.6 g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149392
Total Carbohydrate*	NLT 1.6 g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149392
Total Dietary Fiber*	NLT 1.6 g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149392
Total Sugars*	NMT 0.5g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149392
Sodium*	NMT 282 mg per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149392
Calcium*	NLT 24 mg per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149392
Iron*	NLT 4 mg per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149392
Protein	NLT 23g per serving	Meets Specification	AOAC	COA-2026-9149355

Safety

Inspired by GRAS (Generally Recognized as Safe) regulations in the U.S. and strict allergen labeling laws in Japan

- All ingredients are either GRAS a.k.a. generally recognised as safe, self-affirmed GRAS, or approved under New Dietary Ingredient (NDI) pathways.
- We label major allergens clearly.
- No banned substances, and we avoid excipient ingredients (like fillers and additives) that aren't needed

Allergens

Parameter	Specification	Result (per serving)	Method	Reference**
Gluten Allergen*	NMT 20ppm	Meets Specification	EZ Gluten or equivalent	COA-2026-9149392
Crustacean Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Egg Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Fish Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Milk Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Peanut Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Soy Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Sesame Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Tree Nut Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392

Parameter	Specification	Result (per serving)	Method	Reference**
Glyphosate*	NMT 0.01 ppm	Meets Specification	HPLC	COA-2026-9149392

Remarks:

* Analysis performed on an annual basis.

**All analyses performed by CA State-certified and/or ISO accredited third-party laboratories.

Transparency

Inspired by third-party voluntary programs across all five countries:

- We self-publish batch-specific lab test results for all products.
- We partner with leading third-party laboratories and verification providers.
- Our product standards and testing methods are documented and openly shared.

Laboratory	Accreditation	Method Reference	Report ID
Qalitex Inc.	ISO/IEC 17025:2017 (AGS-US050824-1)	ICP, USP <2021>, USP <2022>, AOAC, USP <467>, USP <561>, HPLC	See reference IDs.



Testing conducted in accordance with Ora's 5 Nation Standard™ — integrating analytical requirements and safety thresholds from Switzerland, Japan, Germany, New Zealand, and the United States.

All results are verified by ISO 17025 accredited third-party laboratories.

QC#	ORA-10297C-003
Approved by:	G. Wong
Version	2.00
Updated	November 3, 2025