



CERTIFICATE OF ANALYSIS

Verified in accordance with the 5 Nation Standard™

Batch Information

Product Name	So Lean So Clean - Unflavored & Unsweetened
Batch / Lot No.	S26201001
Item Number:	10297
Total Serving:	20
Serving Size:	30g
Label Version	10297-L01-26
Manufacture Date	7/20/2026
Expiration Date	7/19/2028
Review Date	8/28/2026
Tested by	Independent ISO 17025-Certified Laboratories
Verified by	Takeshi Cruz

Purity

Tested for contaminants, heavy metals, and pesticides using validated international methods. Inspired by the U.S. (USP, AOAC), Germany (BfR & BVL), Switzerland (Swissmedic, FSVO):

Heavy Metals

Parameter	Specification	Result	Method	Reference**
Arsenic, Inorganic	NMT 15 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149774
Lead	NMT 5 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149774
Cadmium	NMT 5 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149774
Mercury, Total	NMT 15 µg per daily serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149774

Microbial

Parameter	Specification	Result	Method	Reference**
Total Plate Count	NMT 100,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149774
Yeast and Mold Counts	NMT 10,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149774
Total Coliforms Count	NMT 1,000 CFU/g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149774
E.Coli	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149774
Staphylococcus Aureus	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149774
Salmonella	Absent in 10g	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149774

Solvents

Solvent Residue	Specification	Result	Method	Reference**
Class 1 - 1,1,1-Trichloroethane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 1 - 1,1-Dichloroethene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 1 - 1,2-Dichloroethane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 1 - Benzene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 1 - Carbon Tetrachloride	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - 1,2-Dichloroethene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - 1,2-Dimethoxyethane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - 1,4-Dioxane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Acetonitrile	NMT 50 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Chlorobenzene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Chloroform	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Cyclohexane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Hexane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Methanol	NMT 50 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Methylbutylketone	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Methylcyclohexane	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Methylene Chloride	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Nitromethane	NMT 50 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Pyridine	NMT 200 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Tetrahydrofuran	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Tetralin	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Toluene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392

Class 2 (Mix A & B) - Trichloroethylene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 2 (Mix A & B) - Xylene	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 3 - Ethanol	NMT 5,000 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 3 - Acetone	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 3 - Isopropanol	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392
Class 3 - Ethyl acetate	NMT 1 ppm	Not Detected	USP <467>	COA-2026-9149392

Pesticide Screen

Pesticide	Specification	Result	Method	Reference**
Acephate	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Aldrin and dieldrin (sum of)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Azinphos-ethyl	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Azinphos-methyl	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Bromide, inorganic (calculated as bromide ion)	NMT 125 ppm	Not Detected	USP <561>	COA-2026-9149392
Bromophos-ethyl	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Bromophos-methyl	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Bromopropylate	NMT 3 ppm	Not Detected	USP <561>	COA-2026-9149392
Chlordane (sum of cis-, trans-, and oxychlordane)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Chlorfenvinphos	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149392
Chlorpyrifos-ethyl	NMT 0.2 ppm	Not Detected	USP <561>	COA-2026-9149392
Chlorpyrifos-methyl	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Chlorthal-dimethyl	NMT 0.01 ppm	Not Detected	USP <561>	COA-2026-9149392
Cyfluthrin (sum of)	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
λ-Cyhalothrin	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Cypermethrin and isomers (sum of)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
DDT (sum of o,p'-DDE, p,p'-DDE, o,p'-DDT, p,p'-DDT, o,p'-TDE, and p,p'-TDE)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Deltamethrin	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149392
Diazinon	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149392
Dichlofluanid	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Dichlorvos	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Dicofol	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149392
Dimethoate and omethoate (sum of)	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Dithiocarbamates (expressed as CS ₂)	NMT 2 ppm	Not Detected	USP <561>	COA-2026-9149392

Endosulfan (sum of isomers and endosulfan sulphate)	NMT 3 ppm	Not Detected	USP <561>	COA-2026-9149392
Endrin	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Ethion	NMT 2 ppm	Not Detected	USP <561>	COA-2026-9149392
Etriphos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Fenchlorophos (sum of fenchlorophos and fenchlorophos-oxon)	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Fenitrothion	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149392
Fenpropathrin	NMT 0.03 ppm	Not Detected	USP <561>	COA-2026-9149392
Fensulfothion (sum of fensulfothion, oxon, sulfone, and oxon sulfone)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Fenthion (sum of fenthion and metabolites)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Fenvalerate	NMT 1.5 ppm	Not Detected	USP <561>	COA-2026-9149392
Flucythrinate	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
-Fluvalinate	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Fonophos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Heptachlor (sum of heptachlor, cis- and trans-heptachlorepoide)	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Hexachlorbenzene	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Hexachlorocyclohexane (sum of α , β , γ , δ isomers)	NMT 0.3 ppm	Not Detected	USP <561>	COA-2026-9149392
Lindane (γ -hexachlorocyclohexane)	NMT 0.6 ppm	Not Detected	USP <561>	COA-2026-9149392
Malathion and malaoxon (sum of)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Mecarbam	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Methacriphos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Methamidophos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Methidathion	NMT 0.2 ppm	Not Detected	USP <561>	COA-2026-9149392
Methoxychlor	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Mirex	NMT 0.01 ppm	Not Detected	USP <561>	COA-2026-9149392
Monocrotophos	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Parathion-ethyl and paraoxon-ethyl (sum of)	NMT 0.5 ppm	Not Detected	USP <561>	COA-2026-9149392

Parathion-methyl and paraoxon-methyl (sum of)	NMT 0.2 ppm	Not Detected	USP <561>	COA-2026-9149392
Pendimethalin	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Pentachloranisole	NMT 0.01 ppm	Not Detected	USP <561>	COA-2026-9149392
Permethrin and isomers (sum of)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
Phosalone	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Phosmet	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Piperonyl butoxide	NMT 0.3 ppm	Not Detected	USP <561>	COA-2026-9149392
Pirimiphos-ethyl	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Pirimiphos-methyl (sum of pirimiphos-methyl and N-desethyl-pirimiphos-methyl)	NMT 4 ppm	Not Detected	USP <561>	COA-2026-9149392
Procymidone	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Profenophos	NMT 0.1 ppm	Not Detected	USP <561>	COA-2026-9149392
Prothiophos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Pyrethrum (sum of cinerin I/II, jasmolin I/II, pyrethrin I/II)	NMT 3 ppm	Not Detected	USP <561>	COA-2026-9149392
Quinalphos	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Quintozene (sum of quintozene, pentachloraniline, methyl pentachlorophenyl sulfide)	NMT 1 ppm	Not Detected	USP <561>	COA-2026-9149392
S-421	NMT 0.02 ppm	Not Detected	USP <561>	COA-2026-9149392
Tecnazene	NMT 0.05 ppm	Not Detected	USP <561>	COA-2026-9149392
Tetradifon	NMT 0.3 ppm	Not Detected	USP <561>	COA-2026-9149392
Vinclozolin	NMT 0.4 ppm	Not Detected	USP <561>	COA-2026-9149392

Strength

Inspired by the U.S.A.'s FDA requirements and Japan's strict label accuracy policies.

We test every production batch to make sure active ingredient strength matches our label claim.

- Many countries and brands allow rounding rules or under-formulation amounts of nutrients; Ora requires a 100% label claim throughout shelf life. Often, our products are formulated with intentional nutritional overages.
- We justify every expiration date with real data — what we call Shelf Life Justification.

Nutritional Information

Parameter	Specification	Result (per serving)	Method	Reference**
Calories*	NMT 144 per serving	Meets Specification	AOAC or equivalent	COA-2026-9149392
Total Fat*	NMT 3.6 g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149392
Total Carbohydrate*	NLT 1.6 g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149392
Total Dietary Fiber*	NLT 1.6 g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149392
Total Sugars*	NMT 0.5g per serving	Meets Specification	AOAC or equivalent	COA-2026-9149392
Sodium*	NMT 282 mg per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149392
Calcium*	NLT 24 mg per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149392
Iron*	NLT 4 mg per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149392
Protein	NLT 23g per serving	Meets Specification	AOAC, USP, or equivalent	COA-2026-9149774

Safety

Inspired by GRAS (Generally Recognized as Safe) regulations in the U.S. and strict allergen labeling laws in Japan

- All ingredients are either GRAS a.k.a. generally recognised as safe, self-affirmed GRAS, or approved under New Dietary Ingredient (NDI) pathways.
- We label major allergens clearly.
- No banned substances, and we avoid excipient ingredients (like fillers and additives) that aren’t needed

Allergens

Parameter	Specification	Result (per serving)	Method	Reference**
Gluten Allergen*	NMT 20ppm	Meets Specification	EZ Gluten or equivalent	COA-2026-9149392
Crustacean Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Egg Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Fish Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Milk Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Peanut Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Soy Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Sesame Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392
Tree Nut Allergen*	Not Detected / NMT 5ppm	Meets Specification	ELISA, or equivalent	COA-2026-9149392

Parameter	Specification	Result (per serving)	Method	Reference**
Glyphosate*	NMT 0.01 ppm	Meets Specification	HPLC	COA-2026-9149392

Remarks:

* Analysis performed on an annual basis.

**All analyses performed by CA State-certified and/or ISO accredited third-party laboratories.

Transparency

Inspired by third-party voluntary programs across all five countries:

- We self-publish batch-specific lab test results for all products.
- We partner with leading third-party laboratories and verification providers.
- Our product standards and testing methods are documented and openly shared.

Laboratory	Accreditation	Method Reference	Report ID
QALITEX, AFL	ISO 17025	Testing performed in accordance with AOAC, USP, FCC, and ISO-validated methods	See Reference IDs above



Testing conducted in accordance with Ora's 5 Nation Standard™ — integrating analytical requirements and safety thresholds from Switzerland, Japan, Germany, New Zealand, and the United States.

All results are verified by ISO 17025 accredited third-party laboratories.

QC#	ORA-10297C-003
Approved by:	G. Wong
Version	2.00
Updated	November 3, 2025